ADAPT 500 Series

The 2nd generation ADAPT 500 features a new headband and softer earpads for long-term wearing comfort. A foldable boom arm optimizes voice pick-up while ANC reduces background noise. Switch between two Bluetooth[®] devices using multi-point connectivity and benefit from up to 41 hours of talk time.





zoom



👀 webex

Key Features

Concentrate anytime, anywhere with ANC

4 ANC microphones reduce background noise to increase work focus, together with plush ear pads for good sound isolatio

Get clearer calls on demand

The sleek, foldable boom arm and 2 advanced microphones optimize voice pick up for clearer office and mobile calls

See more at eposaudio.com/adapt-500

Slide the boom arm away for a sleek look

The smart and practical boom arm design seamlessly integrates into the earcup and can be retracted when not on a call

Enjoy all-day wearing comfort

Low impact headband and softer earpads remove potential pressure points ensuring a comfortable fit in the office or on the move

Ensure clear calls with UC certified solution

Certified for Microsoft Teams and optimized for UC


Fact Sheet

What's in the Box



Fact Sheet

How to Use the ADAPT 500





Additional benefits & features

Switch effortlessly between your favorite devices

Enjoy multi-point connectivity via Bluetooth® to mobile and softphone simultaneously. BTD 800 USB-A dongle connects to your PC




Launch Microsoft Teams instantly Dedicated button for Microsoft Teams via BTD 800 USB-A



Stay in touch with your surroundings

EPOS Voice™ technology enables you to interact without removing the headset



Store easily with portable carry case Compact carry case includes USB dongle and USB-C cable

Product data

1/3

General		
Wearing style	On-ear, double-sided headband	
Headset weight	232 g / 8 oz	
Connectivity	Bluetooth [®] 5.0, USB cable with USB-C connect	
Supported codecs	SBC, AAC, USB-C, aptX™	
Warranty	2 years	
Audio		
Speaker frequency response	20 - 20,000 Hz	
Microphone type	2 beamforming MEMS microphones	
Microphone frequency response	100 - 10,000 Hz	
Noise cancellation	Hybrid ANC technology with 4 microphones	
Technical		
Charging time	3 hours 40 minutes	
Standby time	Up to 81 days	
Battery time	Listening time: up to 46 hours. Talking time: up to 41 hours* Listening time: up to 24 hours. Talking time: up to 24 hours**	
Range	Up to 25 m / 82 ft (device dependent)	

Product data

2/3

Product variants	What's in the box
ADAPT 560 II	ADAPT 560 II headset, BTD 800 USB-A dongle, USB-A cable with USB-C connector, carry case, compliance sheet, safety guide
ADAPT 561 II	ADAPT 561 II headset, BTD 800 USB-C dongle, USB-C cable with USB-C connector, carry case, compliance sheet, safety guide
Software	

EPOS devices can be managed with following Software solutions:	
EPOS Connect	Conduct firmware updates and configure headsets for personal audio preferences. EPOS Connect works for Windows, Mac [®] and VDI/Thin client environments: eposaudio.com/software-epos-connect
EPOS Manager	Manage, update and configure EPOS audio devices from any location - For both cloud and on-premises solutions: eposaudio.com/software-epos-manager

Product data

3/3

Product	Connects to	Certifications	EAN code	UPC code
ADAPT 560 II Art. no. 1001160	Softphone/PC mobile devices	Optimized for UC and certified for Microsoft Teams***, Zoom, Google Meet, Webex by Cisco and Works With Chromebook	57 14708 00962 7	8 40064 40962 9
ADAPT 561 II Art. no. 1001170	Softphone/PC mobile devices	Optimized for UC and certified for Microsoft Teams*** Zoom, Google Meet, Webex by Cisco and Works With Chromebook	57 14708 00974 0	8 40064 40974 2

*** Microsoft Teams certification applies when USB dongle or cable is connected to PC or $\rm Mac^{\otimes}$

Spare parts

1/1

Product	Art. no.	Description	EAN code	UPC code
Carry case	1000258	Carry case for ADAPT 500 headsets for easy storage	57 14708 00059 4	8 40064 40059 6
USB-C to USB-A cable	1000211	USB-C to USB-A cable. Cable length 1.2 meter	57 14708 00012 9	8 40064 40012 1
USB-C to USB-C cable	1000304	USB-C to USB-C cable. Cable length 1.5 meter	57 14708 00105 8	8 40064 40105 0
BTD 800 USB-A dongle	1001148	Connect compatible EPOS Bluetooth [®] audio devices quickly and easily to your PC or Mac	57 14708 00950 4	8 40064 40950 6
BTD 800 USB-C dongle	1000206	Connect compatible EPOS Bluetooth [®] audio device quickly and easily to your PC or Mac and tablet	57 14708 00007 5	8 40064 40007 7
Earpads	1001186	Spare earpads in black leatherette	57 14708 00990 0	8 40064 40990 2

Appendix

1/1

Additional product data

Color	Black
EPOS Voice™ Technology	For a clear and natural listening experience
Sound pressure level (SPL)	Max. 115 dB - Limited by EPOS ActiveGard® technology
Sound enhancement profiles	Automatically adapt and optimize sound for both communication and multimedia
EPOS ActiveGard® technology	Protects users against acoustic injury caused by sudden sound burst on the line
EU Noise at Work Limiter®	Enhanced audio protection preventing listening fatigue, average 85 dB over a workday