

LX-350

DATASHEET / BROCHURE



Economical, 9-pin, 80-column printer from the world's leading dot matrix manufacturer*.

The highly reliable Epson LX-350 has a mean time between failure of 10,000 operating hours, and is ideal for front and back office applications needing continuous paper or multi-part stationery.

A very economical printer to run, the LX-350 helps save money with its high ribbon yield of 4 million characters and its low power consumption. Using just 1.1W in sleep mode and 27W when powered on, the LX-350 is qualified by ENERGY STAR for its excellent energy efficiency.

Easy to integrate, the LX-350 has Parallel, Serial and USB interfaces as standard, and will fit neatly onto desks thanks to its compact design and cable management system.

KEY FEATURES

- **High reliability**
MTBF of 10,000 operating hours
- **Power-efficient**
1.1W on standby, 27W powered on
- **Economical**
Ribbon yield of 4m characters
- **Easy integration**
Parallel, Serial and USB interfaces
- **Compact design**
Fits neatly onto desks

PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method	Impact dot matrix
Number of Pins	9 pins
Number of columns	80 columns
Pins	9 Needles

PRINT

Printing Speed	HighSpeed-Draft: 10 cpi: 347 chars/s, 12 cpi: 357 chars/s, 15 cpi: 390 chars/s, Draft: 10 cpi: 260 chars/s, 12 cpi: 312 chars/s, NLQ: 10 cpi: 65 chars/s, 12 cpi: 78 chars/s
Carbon Copies	4 plus one original
Printing Resolution	240 x 144 DPI

CONNECTIVITY

Interfaces	Bidirectional parallel, USB 2.0, RS-232
------------	---

PAPER / MEDIA HANDLING

Document Feed	Single sheet rear, Continuous media rear, Paper output rear
Paper Formats	Sheet Paper (single- and multi-layer), Continuous Paper (single- and multi-layer), Labels (single- and multi-layer), Roll Paper, Envelopes

GENERAL

Power consumption	27 Watt, 1,1 Watt (standby)
Product dimensions	348 x 275 x 154 mm (Width x Depth x Height)
Product weight	4,1 kg
Supported Temperature	Operation 5° C - 35° C, Storage 5° C - 35° C
Supported Humidity	Operation 10% - 80%, Storage 10% - 80%
Compatible Operating Systems	Windows 2000, Windows 7, Windows 8, Windows Vista, Windows XP
Included Software	Epson Status Monitor
Mean Time Between Failures	10.000 hours
Print Head Life	400 Million Strokes/Wire
Noise	Operation:53 dB (A)
Memory	128 kB Included
Ribbon Yield	4000000 characters Black Draft

OTHER FEATURES

Emulations	ESC/P, IBM PPDS
------------	-----------------

OTHER

Warranty	24 months Carry in Optional warranty extension available
----------	---

LX-350

WHAT'S IN THE BOX

- Main unit
- Setup guide
- User manual (CD)
- Driver and utilities
- Software (CD)
- Warranty document
- Power cable
- Ribbon

SUPPLIES

● SIDM Black Ribbon Cartridge	C13S015637
● SIDM Black Ribbon Cartridge	C13S015647

LX-350

OPTIONAL ACCESSORIES

- Epson SIDM Paper Roll Holder for LX-300+II/1170II, FX-890/A, FX-2190, LQ-690/300+II series
C12C811141

LOGISTICS INFORMATION

SKU	C11CC24031
EAN code	8715946502939
Country of Origin	Indonesia
Layer	5 Units



Epson Deutschland GmbH
Schießsstraße 49
D-40549 Düsseldorf
Info-Line: 02159 92 79 500
Telefax: +49 (0) 211 54229-001
www.epson.de

Epson in Österreich
Info-Line: 01 253 49 78 333
www.epson.at
Epson in der Schweiz
Info-Line: 022 592 7923
www.epson.ch

1. Worldwide sales volume, IDC

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.
Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

EPSON®