

# WorkForce Pro EP-C7000DW

DATASHEET / BROCHURE



Keep costs low and productivity high with this reliable A3+ business inkjet printer with a fast FPOT for small to medium workgroups.

A reliable A3+ workgroup printer perfect for the business environment, from small offices to large corporates. Ideal for those who may have traditionally used lasers and want to cut costs, increase productivity and reduce downtime, while also reducing their environmental impact and improving their CSR reputation.

## **Reduce printing costs and minimise your outgoings**

With a low total cost of ownership (TCO) this printer makes this an attractive choice for businesses on a budget. Designed for workgroups, businesses can avoid the hidden employee productivity costs associated with downtime. With less chance of breakdowns, and fewer interruptions, keep productivity high. Giving great value for money, these low-cost ink cartridges offer a high ink yield of up to 11,500 pages in mono and 8,000 pages in colour without changing the ink.\*

## **Save time and increase productivity**

Delivering a fast First Page Out Time (FPOT) of 5.5 seconds from ready mode,\*\* spend less time waiting for prints. With fewer replacement parts, reduce intervention and minimise interruptions with this reliable and robust printer. With up to 3 x 500 sheet optional cassettes, and a maximum of 1,835 pages change paper less frequently too.

## **Reduce your environmental impact with this energy-efficient printer**

Improve your businesses sustainability, while keeping productivity high and energy costs low. With Heat-Free printing technology, benefit from low-power consumption without compromising on an ultra-sharp output.

## **Built for business**

A range of software and tools provide secure print options, and help manage devices remotely. Wireless connectivity also supports printing from mobile devices. And with its user-friendly 6.1 colour LCD, it's intuitive to operate.

## **KEY FEATURES**

- **Up to A3+ colour printer for business quality documents**  
High quality double-sided printer, with fast print speeds of up to 25ppm and a first page out time as little as 5.5 seconds from ready \*\*
- **Print up to 11,500 pages in mono and 8,000 pages in colour without changing the ink\***  
Minimise intervention and reduce running costs with high ink yield supplies
- **Low energy consumption**  
Thanks to Heat-Free printing technology, keep energy bills low and reduce your impact on the environment
- **With a high paper capacity of up to 1,835 pages, change paper less frequently**  
With optional additional paper trays, minimise paper changes. Cabinet options available too.
- **Suite of software solutions to support your business**  
Software and tools provide secure print options, and help manage devices remotely. Wireless connectivity also supports printing from mobile devices.

**EPSON®**

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

|                      |                                              |
|----------------------|----------------------------------------------|
| Printing Method      | PrecisionCore™ Print Head                    |
| Nozzle Configuration | 800 Nozzles Black, 800 Nozzles per Color     |
| Minimum Droplet Size | 5 pl, With Variable-Sized Droplet Technology |
| Ink Technology       | DURABrite™ Pro                               |
| Category             | Office Workgroup, Office Departmental        |
| All-in-One Functions | Print                                        |

### PRINT

|                                          |                                                                                                                                                                                                 |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Number of colours                        | 4 colour                                                                                                                                                                                        |
| First Page Out                           | Monochrome 5.5 Seconds, Colour 5.5 Seconds                                                                                                                                                      |
| Printing Speed ISO/IEC 24734             | 25 pages/min Monochrome, 24 pages/min Colour                                                                                                                                                    |
| Duplex Printing Speed ISO/IEC 24734      | 17 A4 Pages/min Monochrome, 16 A4 Pages/min Colour                                                                                                                                              |
| Printing Speed ISO/IEC 24734 (A3)        | 13 pages/min Monochrome, 13 pages/min Colour                                                                                                                                                    |
| Duplex Printing Speed ISO/IEC 24734 (A3) | 11 A4 Pages/min Monochrome, 11 A4 Pages/min Colour                                                                                                                                              |
| Maximum Printing Speed                   | 35 pages/min Monochrome (plain paper 75 g/m <sup>2</sup> ), 35 pages/min Colour (plain paper 75 g/m <sup>2</sup> )                                                                              |
| Printing Resolution                      | 4.800 x 1.200 DPI                                                                                                                                                                               |
| Printing Volume                          | 75.000 pages per month<br>The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities. |
| Recommended Duty Cycle                   | 500 - 5.000 pages per month                                                                                                                                                                     |
| Colours                                  | Black, Cyan, Yellow, Magenta                                                                                                                                                                    |

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

### CONNECTIVITY

|                              |                                                                                                                                                   |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Network Printing Protocols   | IPP, LDP, Port 9100, WSD                                                                                                                          |
| Network Management Protocols | SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping                                                                            |
| Network Protocol Interfaces  | IPv4, IPv6<br>USB 2.0-A (2x), USB 3.0 Type B, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n, USB host |
| WLAN Security                | WEP 64 Bit, WEP 128 Bit, WPA2 Enterprise, WPA2 PSK (AES)                                                                                          |
| Network Protocol             | TCP/IPv4, TCP/IPv6                                                                                                                                |

## WorkForce Pro EP-C7000DW

### WHAT'S IN THE BOX

- Main unit
- Phone cable
- Quick Setup Guide
- Warranty card

## PRODUCT SPECIFICATIONS

## WorkForce Pro EP-C7000DW

### PAPER / MEDIA HANDLING

|                                 |                                                                                                                                                                                               |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Paper Formats                   | A3+, A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5, C4 (Envelope), C6 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, Legal |
| Compatible Paper Weight         | 64 - 300g/m <sup>2</sup>                                                                                                                                                                      |
| Duplex                          | Yes (A4/A3, plain paper)                                                                                                                                                                      |
| Standard Paper input            | 335 Sheets Standard, 85 Sheets MP tray, 250 Sheets paper tray                                                                                                                                 |
| Output Tray Capacity            | 250 Sheets                                                                                                                                                                                    |
| Paper Tray Capacity             | 335 Sheets Standard, 1.835 Sheets Maximum                                                                                                                                                     |
| Standard paper tray(s)          | 85-Sheet Multi-Purpose Tray, 250-sheet paper tray                                                                                                                                             |
| Optional paper tray(s)          | 3 x 500 sheet paper tray                                                                                                                                                                      |
| Maximum paper input             | 1.835                                                                                                                                                                                         |
| Rear paper path (special media) | Yes                                                                                                                                                                                           |
| Number of paper trays           | 3                                                                                                                                                                                             |

### PAPER FEED RASF

|                         |                                                                                                                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Paper Input Name        | RASF                                                                                                                                                                                  |
| Paper Formats           | A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, User defined, Legal, Executive, SRA3, Tabloid |
| Custom sizes            | Min55x 330 mm to Max 127x 1.200 mm                                                                                                                                                    |
| Compatible paper weight | 64 g/m <sup>2</sup> - 300 g/m <sup>2</sup>                                                                                                                                            |
| Paper Capacity 1        | 85 80gsm                                                                                                                                                                              |
| Media type              | Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper                                                                                                             |

### PAPER FEED C1

|                         |                                                                    |
|-------------------------|--------------------------------------------------------------------|
| Paper Input Name        | C1                                                                 |
| Paper Formats           | A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive, Tabloid |
| Compatible paper weight | 64 g/m <sup>2</sup> - 200 g/m <sup>2</sup>                         |
| Paper Capacity 1        | 80gsm                                                              |
| Media type              | Plain Paper, Recycled Paper, Colour Paper, Letterhead              |

### PAPER FEED DUPLEX

|                         |                                                           |
|-------------------------|-----------------------------------------------------------|
| Paper Input Name        | Duplex                                                    |
| Paper Formats           | A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive |
| Compatible paper weight | 64 g/m <sup>2</sup> - 150 g/m <sup>2</sup>                |

### GENERAL

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Energy Use                         | 0,8 Watt (sleep mode), 37 Watt (Printing), 8,5 Watt (Ready), 0,1 Watt (Power off), TEC 0,14 kWh/week                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Supply Voltage                     | AC 220 V - 240 V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Product dimensions                 | 613 x 650 x 386 mm (Width x Depth x Height)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Product weight                     | 35,4 kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Compatible Operating Systems       | Mac OS 10.10.x, Mac OS 10.14. x, Mac OS 10.15. x, Mac OS 11. x, Mac OS 12. x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.13.x, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2003 R2 x64, Windows Server 2003 SP2, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), macOS 11 or later |
| Sound Power                        | Operation:6,7 B (A)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Noise                              | Operation:52 dB (A)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Mobile and Cloud printing services | Epson Connect (iPrint, Email Print), Apple AirPrint, Google Cloud Print, Mopria                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Power supply                       | 220V, 240V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

PRODUCT SPECIFICATIONS

WorkForce Pro EP-C7000DW

|                         |                                                                                                                                                                                                                      |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ADDITIONAL FEATURES     |                                                                                                                                                                                                                      |
| Memory                  | 2.048 MB                                                                                                                                                                                                             |
| Features                | Direct print from USB                                                                                                                                                                                                |
| Panel                   | Type: Color, Touch-panel, Diagonal:6,1 cm                                                                                                                                                                            |
| Media Handling          | Automatic duplex, Rear specialty media feed, Thick Media Support                                                                                                                                                     |
| Security Functions      | Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode                                 |
| PRODUCT SAFETY          |                                                                                                                                                                                                                      |
| Product Safety Warnings | Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.<br>Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.<br>Always follow the information on the product label. |
| OTHER FEATURES          |                                                                                                                                                                                                                      |
| Emulations              | PCL5c, PCL6, ESC/P-R, PostScript 3, PDF 1.7                                                                                                                                                                          |
| OTHER                   |                                                                                                                                                                                                                      |
| Warranty                | 12 months On-site service<br>Optional warranty extension available                                                                                                                                                   |

## SUPPLIES

|                                                          |            |              |
|----------------------------------------------------------|------------|--------------|
| ● Maintenance box                                        | C13T671400 | 90.000 pages |
| ● WorkForce Pro EM-C7100/EP-C7000 Series Ink XL Black    | C13T13X140 | 5.800 pages  |
| ● WorkForce Pro EM-C7100/EP-C7000 Series Ink XL Cyan     | C13T13X240 | 4.600 pages  |
| ● WorkForce Pro EM-C7100/EP-C7000 Series Ink XL Magenta  | C13T13X340 | 4.600 pages  |
| ● WorkForce Pro EM-C7100/EP-C7000 Series Ink XL Yellow   | C13T13X440 | 4.600 pages  |
| ● WorkForce Pro EM-C7100/EP-C7000 Series Ink XXL Black   | C13T14B140 | 11.500 pages |
| ● WorkForce Pro EM-C7100/EP-C7000 Series Ink XXL Cyan    | C13T14B240 | 8.000 pages  |
| ● WorkForce Pro EM-C7100/EP-C7000 Series Ink XXL Magenta | C13T14B340 | 8.000 pages  |
| ● WorkForce Pro EM-C7100/EP-C7000 Series Ink XXL Yellow  | C13T14B440 | 8.000 pages  |
| ● Optional Cassette Maintenance Roller                   | C13S210049 |              |
| ● Standard Cassette Maintenance Roller                   | C13S210048 |              |

## OPTIONAL ACCESSORIES

- Authentication Device Table-P2  
C12C939531
- High Cabinet  
C12C933561

## LOGISTICS INFORMATION

|                   |               |
|-------------------|---------------|
| SKU               | C11CL37401    |
| EAN code          | 8715946732718 |
| Country of Origin | Indonesia     |
| Layer             | 1 Units       |

## WorkForce Pro EP-C7000DW

### INK YIELD DATA



|       |                 |                  |
|-------|-----------------|------------------|
| ●     | 5.800<br>pages* | 11.500<br>pages* |
| ● ● ● | 4.600<br>pages* | 8.000<br>pages*  |

\* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit <http://www.epson.eu/pageyield>



Epson Deutschland GmbH  
Schießstraße 49  
D-40549 Düsseldorf  
Info-Line: 02159 92 79 500  
Telefax: +49 (0) 211 54229-001  
[www.epson.de](http://www.epson.de)

Epson in Österreich  
Info-Line: 01 253 49 78 333  
[www.epson.at](http://www.epson.at)  
Epson in der Schweiz  
Info-Line: 022 592 7923  
[www.epson.ch](http://www.epson.ch)

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.  
Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

1. Approx. page yield based on ISO/IEC 24711/24712.  
Actual yield will vary depending on images printed and usage conditions. For more information visit [www.epson.eu/pageyield](http://www.epson.eu/pageyield)

**EPSON®**