EB-FH54

DATASHEET / BROCHURE











Make every presentation brighter, sharper and more collaborative, with this flexible, portable and reliable Full HD projector.

EB-FH54 is the ultimate Full HD wireless projection partner - perfect for delivering high quality presentations. Its stylish design makes the right impression in any environment, combined with a high brightness of 4,100 lumens. Reliable 3LCD technology keeps intervention and maintenance to a minimum - leaving you to enjoy years of high-quality, interruption-free meetings.

Created the right impression in any environment

The EB-FH54 is the perfect combination of high quality and high performance, offering a brightness of up to 4,100 lumens, powered by Epson's 3LCD technology. Providing professional sharp, clear content output for any working environment, enabling high-quality and engaging presentations without breaking the budget. To complete the immersive experience, high-quality sound is delivered via a built-in 16W speaker - making additional external speakers a thing of the past

Up to 304" display size to maximise audience engagement

With a scalable display size of up to 304" - the EB-FH54 delivers crystal-clear, smooth images with Full HD 1080p resolution with a 240Hz refresh rate, enhanced by Scene Adaptive Gamma Correction for optimum brightness and contrast, and exceptional colour accuracy to deliver vibrant, true-to-life images free of distracting rainbow effects to keep audiences focused and engaged throughout any presentation.

Portable and flexible

Lightweight and compact, the EB-FH54 is easy to transport, offering flexibility. It features a simple setup with x1.62 zoom and automatic vertical keystone correction of $\pm 30^\circ$. Quick setup functionality allows for effortless installation and use in any location.

High reliability and low maintenance

Designed for long-lasting performance, this projector offers a lamp life of up to 12,000 hours in ECO mode, reducing the need for frequent replacements and lowering maintenance costs. Backed by a 3-year warranty, it provides peace of mind.

A continued commitment around sustainaiblity

Epson projectors are continuously developed, produced and packaged with sustainability at front of mind, demonstrating Epson's continuous journey towards carbon-neutrality with lower environmental impact

KEY FEATURES

- Bright and fast, meets big and flexible Full HD, 4100 lumens brightness projector combined with 3LCD technology provides superior image quality and high engagement with a scalable display size up to 304".
- Multi-device sharing
 The Epson iProjection app connects and controls up to 4 devices, with a split-screen feature to display 2 image sources, eliminating the need for an extra projector.
- Portable and versatile design
 Lightweight and compact, this display is perfect for various spaces features a built-in speaker for easy setup.
- Instant image correction

 Auto Vertical Keystone instantly detects
 and corrects image distortion as you
 adjust the height with the foot lever,
 streamlining setup and saving valuable
- Instant connectivity with Apple
 AirPlay 2 and Miracast¹
 Seamlessly share content from laptops,
 tablets, and smartphones perfect for
 BYOD setups and collaborative
 environments.



PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System 3LCD Technology, RGB liquid crystal shutter

LCD Panel 0.62 inch with C2 Fine

IMAGE

Color Light Output 4,100 Lumen- 2,300 Lumen (economy) In accordance with IDMS15.4

White Light Output 4,100 Lumen - 2,300 Lumen (economy) In accordance with ISO 21118:2020

 Resolution
 1080p

 Aspect Ratio
 16:9

 Contrast Ratio
 16,000 : 1

 Light source
 Lamp

Lamp UHE, 230 W, 5,500 h durability, 12,000 h durability (economy mode)

Keystone Correction Auto vertical: ±30 °

Colour Video Processing 8 Bits

Colour Reproduction 16.77 million colours

OPTICAL

 Throw Ratio
 1.30 - 2.09:1

 Zoom
 Manual, Factor:1 - 1.62

 Screen Size
 31 inches - 304 inches

 Projection Distance Wide
 0.9 m - 8.9 m

 Projection Distance Tele
 1.4 m - 14.3 m

 Projection Distance Wide/Tele 0.88 m - 14.29 m
 1.51 - 1.77

 Projection Lens F Number
 1.51 - 1.77

 Projection Lens Focal Length
 18.2 mm - 29.1 mm

 Projection Lens Focus
 Manual

 Offset
 10 · 1

CONNECTIVITY

Interfaces USB 2.0-A, USB 2.0 Type B (Service Only), Wireless LAN IEEE 802.11a/b/g/n/ac, HDMI in (2x),

Miracast, Jack plug out, Apple AirPlay 2

Network Protocol HTTPS, IPv6, SNMP

ADVANCED FEATURES

Security Kensington lock, Padlock, Security cable hole, Password protection

Other features A/V mute, AV Mute Slide, Auto Power On, Auto source search, Built-in speaker, Customizable

user logo, Direct Power on/off, Document Camera Compatible, Home Screen, JPEG Viewer, Long lamp life, OSD copy function, PC Free, Quick Corner, Schedule Function, Screen Mirroring, Volume control, Web Control, Web Remote, Wireless LAN capable, iProjection App

Video Color Modes Blackboard, Cinema, Dynamic, Presentation, sRGB

GENERAL

Power consumption 284 Watt (Normal On-Mode), 181 Watt (Eco On-Mode), 332 Watt (Normal Peak-mode), 231

Watt (Eco Peak-Mode), 0.3 Watt (Energy saving standby)

Supply Voltage $\,$ AC 100 V - 240 V, 50 Hz - 60 Hz $\,$

Product dimensions 309 x 293 x 105 mm (Width x Depth x Height)

Product weight 3.1 kg

Noise Level Normal:37 dB (A) - Economy:28 dB (A)

Supported Temperature Storage -10° C - 60° C Supported Humidity Storage 10° - 90°

Options Air filter, Ceiling mount, Document camera, Safety wire set, Soft carry case, Spare lamp,

Suspension adapter

Loudspeaker 16 Watt

Room Type / Application Boardroom, Huddle space / Portable, Meeting room / Classroom

Positioning Ceiling Mounted, Desktop

Colour White

OTHER

Warranty 36 months Carry in, Lamp: 36 months or 1,000 h

Optional warranty extension available

EB-FH54

WHAT'S IN THE BOX

- Main unit
- Power cable
- Remote control incl. batteries
- User guide
- Warranty document
- Quick Start Guide



OPTIONAL ACCESSORIES

• Lamp - ELPLP97 - EB9XX/W49/X/E20/U50/EB-x05/x41/x42/EH-TW6

V13H010L97

Safety Wire - ELPWR01

V12H003W01

• Soft Carry Case - ELPKS70

V12H001K70

• Ceiling Mount (White) - ELPMB23

V12H003B23

• Ceiling Pipe (450mm) - ELPFP13

V12H003P13

• Ceiling Pipe (700mm) - ELPFP14

V12H003P14

• Air Filter - ELPAF54

V13H134A54

• Screen (80" Mobile X type16:9) - ELPSC21

V12H002S21

• Screen (80" Pantograph 16:10) - ELPSC24

V12H002S24

LOGISTICS INFORMATION

SKU	V11HB59040
EAN code	8715946738079
Country of Origin	Philippines
Layer	6 Units

Visualizers

- ELPDC07
- V12H759040
- ELPDC13

V12H757040

For further information please contact your local Epson office or visit www.epson-europe.com

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742 Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zl/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711)

1. Apple and AirPlay are trademarks of Apple Inc.,

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal - 0,99 kr/min, Lokala samtal - 0,30 kr/min, Utlandssamtal - 0,89 kr/min) Switzerland 022 592 7923
Turkey (0212) 3360303 United Kingdom 0871 222 6702

registered in the U.S. and other countries and regions.

EB-FH54



^{*} Warranty offers are not available for all countries. Please contact your local Epson representative.